

SDS Number: WAL-406 Revision Date: 2/19/2019

Page 1 **of** 5

PRODUCT AND COMPANY IDENTIFICATION **Manufacturer**

WALEX PRODUCTS P.O. BOX 3785 **WILMINGTON, NC 28406**

Phone: 910-371-2242 Fax: 910-371-2094 Email: info@walex.com Web: www.walex.com

Product Name: FRAGRANCE SPRAY AND WASHDOWN

Revision Date: 2/19/2019

Version: 2

SDS Number: WAL-406 Chemical Formula: WAL-406 Product Use:

FRAGRANCE ENHANCED TOILET CLEANER

INFOTRAC telephone number is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals.

Emergency # 1-800-535-5053 (INFOTRAC USA)

Mfg Contact: +1-352-323-3500 (INFOTRAC INTERNATIONAL) (CALL COLLECT)

HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

Health, Serious Eye Damage/Eye Irritation, 1

Health, Skin corrosion/irritation, 2

Health, Respiratory or skin sensitization, 1 Skin

Health, Acute toxicity, 4 Oral

GHS Label elements, including precautionary statements

GHS Signal Word: DANGER

GHS Hazard Pictograms:



GHS Hazard Statements:

H318 - Causes serious eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H302 - Harmful if swallowed

GHS Precautionary Statements:



SDS Number: WAL-406 Revision Date: 2/19/2019

Page 2 of 5

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 - Immediately call a POISON CENTER or doctor/physician.

P302+350 - IF ON SKIN: Gently wash with soap and water.

P332+313 - If skin irritation occurs: Get medical advice/attention.

P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P314 - Get Medical advice/attention if you feel unwell.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P313 - Get medical advice/attention.

Hazards not otherwise classified (HNOC) or not covered by GHS

Inhalation: Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Acute inhalation of this product may result in central nervous system effects including

headache, sleepiness, dizziness, slurred speech and blurred vision.

Skin Contact: This product may cause irritation to skin. Prolonged or repeated contact may worsen

irritation. Product contatins components that may be absorbed through the skin. May

cause allergic skin reaction in some individuals.

Eye Contact: Contact can cause moderate to severe irritation and possible injury to the eyes. Permanent

eye damage may occur.

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas# % Chemical Name

64-17-5 5-9% Ethanol

0 10-15% Surfactant blend

0 5-10% Fragrance Blend

4 FIRST AID MEASURES

Inhalation: Inhalation of vapors or mists of this product may be irritating to the respiratory system. Acute

inhalation may effect the central nervous system, including headache, sleepiness, dizziness,

slurred speech and blurred vision. If inhaled, immediately remove the affected person to fresh air. If

symptoms persist contact physician.

Skin Contact: May produce an allergic reaction in sensitive individuals. May cause moderate irritation. For skin

contact, wash immediately with soap and water. Immediately take off all contaminated clothing.

wash contaminated clothing before reuse. If irritation persist, get medical attention.

Eye Contact: May cause redness and severe pain. May result in permanant damage. Immedediately flush eyes

with lukewarm water for at least 15 minutes, while holding eyelids open. Seek medical attention at

once.

Ingestion: Product may be harmful if swallowed. Ingestion can cause gastrointestinal irritation, nausea,

vomiting and diarrhea. Do not induce vomiting. Rinse the mouth. Give one to two glasses of water

to dilute contents of stomach. Consult a doctor immediately.

5 FIRE FIGHTING MEASURES

Flash Point: >60 C Autoignition Temp: >190 C



SDS Number: WAL-406 Revision Date: 2/19/2019

Page 3 of 5

6 ACCIDENTAL RELEASE MEASURES

Personal precautions: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with

spilled or released material.

Environmental precautions: Avoid release of product into sewers, surface water and/ or ground water. Large spills: contain with

dike. Waste product should not be allowed to contaminate soil or water.

Methods for cleaning up: Collect spilled material in container. Absorb residues in sand or other intert material. Dispose at an

authorized waste collection point. Wash away remainder with plenty of water.

Other information: Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

HANDLING AND STORAGE

Handling Precautions: Handle in accordance with good occupational hygiene and safety practices in

well-ventilated areas.

Do not breathe vapor. Avoid contact with skin and eyes.

Do not mix with other chemicals.

Storage Requirements: Keep frost-free, in a cool, dry and well-ventilated area (<35 C). Keep away from

oxidizing agents.

Keep only in the original container.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equipment:

Eyes/Face: Wear chemical goggles. Add face shield if splashing possible.

Body protection: Use of chemical resistant apron is recomended when discharging

large quantities.

Respiratory Protection: If ventilation is not sufficient to effectively prevent buildup of vapors or mists, appropriate niosh approved respiratory protection must be

provided.

Hand Protection: Use impervious gloves.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Various Colors

Physical State: Liquid Odor: Pungent fragrance

Solubility: **Odor Threshold:** No data 100% Freezing/Melting Pt.: Spec Grav./Density: 1.011-1.082 -15 C Flash Point: Viscosity: No data >65 C **Boiling Point:** Vapor Density: 91-97 C No data **Partition Coefficient:** VOC: No data 5% **Vapor Pressure: Bulk Density:** No data 1q/ml :Ha Auto-Ignition Temp:

Evap. Rate: 5-6 UFL/LFL: No data

Decomp Temp: No data

No data

10 STABILITY AND REACTIVITY

Chemical Stability: Stable under normal conditions

Conditions to Avoid: Keep separated from incompatible materials. Avoid generating splashes or mists of

this material.



SDS Number: WAL-406 Revision Date: 2/19/2019

Page 4 of 5

Materials to Avoid: May react with strong oxidizing agents and acids.

Hazardous Decomposition: Not known

. .

TOXICOLOGICAL INFORMATION

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute Toxicity:

Oral (LD 50): (LD50: 3178) May be harmful if swallowed

Inhalation (LC 50): Not determined

Skin irritation: Causes skin irritation

Eye irritation: Causes serious eye damage

Sensitation: May cause an allergic skin reaction

12

ECOLOGICAL INFORMATION

No ecotoxicological research has been carried out on this product.

Components of this product are hazardous to aquatic life in high concentration.

Product is considered biodegradable according to OECD guidlines.

12

DISPOSAL CONSIDERATIONS

Dispose of waste material according to Local, State, and Federal regulations.

11

TRANSPORT INFORMATION

Land transport ADR/RID: Not regulated

15

REGULATORY INFORMATION

Component (CAS#) [%] - CODES

Ethanol (64-17-5) [5-9%] MASS, OSHAWAC, PA, TSCA, TXAIR

Surfactant blend (0) [20-25%]

Fragrance Blend (0) [5-10%]

Regulatory CODE Descriptions

......

MASS = MA Massachusetts Hazardous Substances List



SDS Number: WAL-406 Revision Date: 2/19/2019

Page 5 of 5

OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TSCA = Toxic Substances Control Act
TXAIR = TX Air Contaminants with Health Effects Screening Level

16 OTHER INFORMATION

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.